

# **Colon Prep: SUPREP**

Dr. Chua

Dr. Cuschieri

Dr. Ghorai

Dr. Hawkins

Dr. Loura

Dr. Schreiber Dr. Mu

Dr. Slosberg

Dr. Wakelin

#### **Calendar Dates 5 DAYS PRIOR: 5 DAYS PRIOR:** 1 DAY PRIOR: **PROCEDURE DATE: General instructions Medical Instructions** (Drink one 6 oz. bottle) (Drink one 6 oz. bottle) DO NOT FOLLOW INSTRUCTIONS INSIDE/ON THE BOX Early morning: take your usual Last chance to cancel From This Day On, Until The Procedure: TURN PAPER OVER FOR LOW FIBER DIET prescribed medication except for appointment or you will Entire Day: Clear liquid diet only (no solid blood thinners, insulin or oral be charged a NO SHOW foods!): clear fruit juice without pulp such as diabetic medication, unless told FEE of \$250. apple juice, white grape juice, broth, Gatorade STOP: \_\_\_\_\_ days before procedure. otherwise by your doctor. (No Gatorade Frost), popsicles, coffee or tea Check with insurance in without cream. Small amount of Jell-O is OK. OK to continue clear liquid diet. advance to see if you Stop taking oil supplements, oil capsules, iron No milk, red, blue, or purple colors. need a referral or prepills, as this makes it difficult to cleanse the **SIX HOURS PRIOR TO YOUR CHECK** If you take diabetes medicine: Refer to the approval for your **IN TIME** drink the 2<sup>nd</sup> 6oz. SUPREP bowel. instruction sheet "Colonoscopy Patients with procedure. bottle, following exact 6PM Diabetes". If you are diabetic or if you're taking blood instructions from day before. thinners and you did not receive specific Arrange childcare, as 4 PM: Take 4 tablets of Dulcolax (Bisacodyl) instructions regarding your medications, please children should not be DO NOT stop the prep even if you 5mg (OTC) call the office. Blood thinners include Plavix, brought to the endoscopy think your stool is clear, as fecal Effient, Warfarin (Coumadin), Pradaxa, or 6 PM: Pour ONE (1) 6oz. bottle of SUPREP center. matter often comes out liquid into the 16oz. container (cup). Add cold Xarelto, Eliquis, etc. intermittently. A good prep should water to the 16oz. container (cup) fill line. Secure a driver for the result in CLEAR yellowish watery If you have implantable cardiology devices Start drinking 8oz. (½ the cup), repeat 15 procedure day, as it is stool (not cloudy) that looks like (defibrillator or pacemaker), notify the office as minutes later the remainder 8oz. (1/2 the cup) unsafe to drive for 12 clear urine. a device clearance is needed from your of (SUPREP). You must drink (2) two more hours after the cardiologist. 16oz. containers (cups) of water over the next procedure. **FOUR HOURS PRIOR TO YOUR** hour to stay hydrated. You may take OTC MiraLAX one dose in a 8 oz. CHECK IN TIME STOP DRINKING **SUPPLIES: ALL LIQUIDS.** glass of water up to 3 times per day as needed What to expect: Expect lots of diarrhea. SUPREP (prescription) to maintain daily soft BMs. You may also use \*This is normal\* Dulcolax (Bisacodyl) 4 AGAIN, be sure to bring: your usual laxatives as needed. **NO ALCOHOL** tablets 5mg (OTC) Medication list • Fleet enema (OTC) If you have severe constipation, call the office A driver optional for advice (425) 259-3122. Photo ID/Insurance card Eyeglasses/Hearing aids You **CANNOT** drink alcohol or drive for 12 hours after the test.

CPT Codes: Colonoscopy 45378-45385; ICD-10 codes: screening Z12.11; Hx Polyps Z86.010; Fx Polyps Z83.71; Fx Colon CA Z80.00; Other: REVISED 06/24/22



# **LOW FIBER DIET**

**General Rule:** DO NOT eat anything with any of the following ingredients: nuts, seeds, raw fruits with seeds, raw vegetables, corn, beans (example: kidney, pinto, lima), whole grains, or popcorn.

# BELOW ARE THE ONLY ALLOWED FOODS

### **BREADS ETC:**

- White breads, rolls, biscuits
- Waffles, French toast, pancakes
- White rice, white pasta, peeled cooked potatoes
- Saltines or white crackers without seeds
- Hot cereal: cream of rice, cream of wheat
- Cold cereal: Rice Krispies, Corn Flakes, Special K

#### **VEGETABLES AND FRUITS:**

- Cooked and canned vegetables –carrots, green beans, spinach
- Applesauce
- Apple or white grape juice
- Bananas
- Cantaloupe, honeydew melon

## MILK/DAIRY:

- Milk: plain or flavored, coconut, almond, soy
- Yogurt, custard and ice cream
- Cheese and cottage cheese

## **MEAT/PROTEIN:**

- Well cooked, lean meats, fish
- Eggs
- Creamy peanut/almond butter
- Tofu

### **FATS, SWEETS, CONDIMENTS, BEVERAGES:**

- Margarine, butter, cooking oils, mayonnaise, salad dressing
- Plain gravies
- Sugar, clear jelly, honey and syrup
- Soups made with allowed vegetables, broth
- Coffee, tea, carbonated beverages
- Plain cake
- Gelatin, plain pudding, popsicles
- Hard candy, pretzels
- Plain chocolate